

**ESTIMATE FOR THE CONSTRUCTION OF PUBLIC TOILET AT DHRAMA, KAMAR PARA IN
WARD NO-09 UNDER MIDNAPORE MUNICIPALITY. TOILET SEATS -4 NOS AND URINAL- 5
NOS**

SL.NO	Item Description & Item No.	Quantity	Rate	Unit	Amount
1	Earth work in excavation of foundation trenches or drains, in all sorts of soil (including mixed soil but excluding laterite or sandstone) including removing, spreading or stacking the spoils within a lead of 75 m. as directed. The item includes necessary trimming the sides of trenches, levelling, dressing and ramming the bottom, bailing out water as required complete. (a) Depth of excavation not exceeding 1,500 mm. PWD Building Works schedule Page - 1, Item -2.a COLM. $3 \times 2 \times 1.20 \times 1.20 \times 1.00 = 8.64 \text{ M3}$ ✓ partition wall $1 \times 1.00 \times 0.375 \times 0.150 = 0.056 \text{ m3}$ ✓	8.696	119.27	Cu.m	1037.17
2	Earth work in filling in foundation trenches or plinth with good earth, in layers not exceeding 150 mm. including watering and ramming etc. layer by layer complete. (Payment to be made on the basis of measurement of finished quantity of work). (a) With earth obtained from excavation of foundation. PWD Building Works schedule, Page - 1, Item -3.a	8.696	77.54	Cum	674.29
3	Filling in foundation or plinth by silver sand in layers not exceeding 150 mm as directed and consolidating the same by thorough saturation with water, ramming complete including the cost of supply of sand. (payment to be made on measurement of finished quantity) PWD Building Works schedule, Page - 2, Item -4.a (B) Do by fine sand $1 \times 5.10 \times 4.55 \times 0.325 = 7.542 \text{ m3}$ ✓	7.542	936.21 599.61	Cum	7060.90 4522.26
4	Single Brick Flat Soling of picked jhama bricks including ramming and dressing bed to proper level and filling joints with local sand. PWD Building Works schedule, Page- 14, Item - 1 (Corri. Page-01, Date-04-06-2018) $3 \times 2 \times 1.20 \times 1.20 = 8.64 \text{ m2}$ ✓ $2 \times 2.50 \times 0.375 = 1.88 \text{ m2}$ ✓ $1 \times 1.00 \times 0.375 = 0.375 \text{ m2}$ ✓ $2 \times 1.50 \times 1.00 = 3.00 \text{ m2}$ ✓ $1 \times 5.10 \times 4.55 = 23.21 \text{ m2}$ ✓	37.10	361.00 344.00	Sqm	13393.10 12762.40
5	Ordinary Cement concrete (mix 1:1.5:3) with graded stone chips (20 mm nominal size) excluding shuttering and reinforcement, if any, in ground floor as per relevant IS codes. a) Pakur Variety /Chandil Variety PWD Building Works schedule, p-26 Item 10 a (Rate Analysis) $2 \times 3 \times 1.20 \times 1.20 \times 0.150 = 1.296 \text{ m3}$ ✓ $2 \times 3 \times (1.20 \times 1.20) + (0.250 \times 0.250) / 2 \times 0.150 = 0.676 \text{ m3}$ ✓ $2 \times 3 \times 0.250 \times 0.250 \times 3.90 = 1.463 \text{ m3}$ ✓ $2 \times 2 \times 2.525 \times 0.250 \times 0.250 = 0.789 \text{ m3}$ ✓ 0.631 m3 $3 \times 3.00 \times 0.250 \times 0.250 = 0.563 \text{ m3}$ ✓ $2 \times 2 \times 2.525 \times 0.250 \times 0.150 = 0.379 \text{ m3}$ ✓ $3 \times 3.00 \times 0.250 \times 0.150 = 0.338 \text{ m3}$ ✓ $1 \times 5.10 \times 4.55 \times 0.1025 = 2.900 \text{ m3}$ ✓	7.61 8.246	5863.13 5665.35	Cum	44618.42 46716.47

	3.710	4628.07	m3	17173.11
<p>Rate with graded stone chips (20 mm ze) excluding shuttering in ground floor and con. (a) 1:3:6 proportion. PWD Building Works schedule, Page -23, Item -B.1.a, (Corrl. Page- 09, Date -04 o-2018) Rate Analysis1 (Corrl. Page-01, Date-04-06-2018)</p> <p>37.10 X 0.100 = 3.71 M3</p> <p>25mm. thick damp proof course with cement concrete with stone chips (1:1.5:3) [with graded stone aggregate 10 mm nominal size] and admixture of water proofing compound as per manufacturer's specification followed by two coat of polymer based paint, (1st coat after 4 to 5 days of concrete laying and 2 nd coat just before brick masonry work) as directed (cost of water proofing compound & polymer based paint to be paid separately).(Chequering not required over concrete or painted surface). [Note:</p> <p>- Waterproofing as per Item 9, polymer based paint as per item 8</p> <p>(a) of subhead C of Section (C).</p> <p>PWD Building Works schedule, Page -47, Item -1 (Rate Analysis)</p> <p>2 x 5.10 x 0.250 = 2.55 m2 ✓</p> <p>3 x 4.55 x 0.250 = 3.41 m2 ✓</p>	3.710	4628.07 5078.51	m3	17173.11 18841.27 ✓
<p>125 mm brick work with 1st classbricks in cement mortar (1:4) in ground floor.</p> <p>PWD Building Works schedule, Page -16, Item-16,corl page -3, date -04.06.2018 (Rate Analysis)</p> <p>5 x1.20 x3.00 = 18.00 m2 ✓</p> <p>3x1.00 x3.00 = 9.00 m2 ✓</p>	27.00	728.47 697.97	Sq.M.	19668.69 18831.69 ✓
<p>Supplying and laying polythine sheet (150 gm/sq.m) over dampproof course or below flooring or roof terracing or foundation or foundation trenches.</p> <p>PWD Building Works schedule, Page -47, Item-3</p>	23.21	24.00	Sq.M.	557.04 ✓
<p>Hire and labour charges for shuttering with centering and necessary staging upto 4 m using approved stout props and thick hard wood planks of approved thickness with required bracing for concrete slabs, beams and columns, lintels curved or straight including fitting, fixing and striking out after completion of works (upto roof of ground floor) (f) 25 mm to 30 mm shuttering without staging in foundation PWD Building Works schedule, Page -42, Item- 36.1</p> <p>2 x 2 x 5.10 x 0.250 = 5.10 m2 ✓</p> <p>3x 2 x 4.55 x 0.25 = 6.83 m2 ✓</p> <p>6 x 4 x 1.20 x 0.150 = 4.32 m2 ✓</p>	16.25	209.00	Sq.m	3396.25 ✓

12	<p>charges for shuttering with centering and necessary 4 m using approved stout props and thick hard wood approved thickness with required bracing for concrete slabs, and columns, lintels curved or straight including fitting, fixing & striking out after completion of works (upto roof of ground floor) direction of Engineer-in-Charge.</p> <p>PWD Building Works schedule, Page -42, Item- 36.a</p> <p>1 x 5.10 x 4.55 = 23.21 m2 ✓ 2(5.10 + 4.55) x 0.125 = 2.41 m2 ✓ 6(-.30+ .025) x 3.00 = 9.90 m2 ✓ 2 x 2 x 5.1 x 0.1250 = 3.825 m2 ✓ 3x 2 x 4.55 x 0.125 = 3.41 m2 ✓</p>	42.75 ✓	335.00 321.00 ✓	14321-25 13722.75 ✓
13	<p>Artificial stone in floor, dado, staircase etc with cement mortar (1:2:4) with stone chips listed in panels as directed with topping made with ordinary or white cement (as necessary) and marble dust in proportion (1:2) including smooth finishing and rounding off corners including raking out joints or roughening of concrete surface and application of cement slurry before flooring works using cement @ 1.75 kg/ sq. m all complete including all materials and labour.</p> <p>In ground floor</p> <p>3 mm thick topping using gray cement (ii) 25 mm PWD Building Works schedule, p-48 Item 6(ii)</p> <p>5.10 x 4.55 = 23.21 m2 ✓</p>	23.21 ✓	269.00 ✓	6243.49 ✓
13	<p>Reinforcement for reinforced concrete work in all sorts of structures including distribution bars, stirrups, binders etc initial straightening and removal of loose rust (if necessary), cutting to requisite length, hooking and bending to correct shape, placing in proper position and binding with 16 gauge black annealed wire at every intersection, complete as per drawing and direction. (a) For works in foundation and upto roof of ground floor/upto 4 m.</p> <p>(i) Tor steel/Mild Steel , JSPL/SWAYM/ELETRO/STEEL</p> <p>PWD Building Works schedule, Page - 43, Item - 40.a.i.1(Corri. 10th Page-01, Date-23-01-2020) (Rate Analysis)</p> <p>Item no , vol of conc: $7.61 \times 1.20 \% = 0.0913 \text{ m}^3 \times 35.315 \text{ c.ft} = 3.224 \text{ c.ft} \times 225 \text{ kg} = 725.40 \text{ kg} = 0.725 \text{ MT} = 0.7863$</p> <p>$3.4915 \times 786.2625$</p>	0.724 0.7863 ✓	55194.51 55179.95 ✓	39960.83 43387.99 ✓
14	<p>Collapsible gate with 40 mm x 10 mm x 6 mm Tee as top and bottom guide rail, 20 mm x 10 mm x 2 mm vertical channels 100 mm apart in full stretched position 20m x 5 mm MS flats as collapsible bracings properly reveted and washed including 38 mm steel roller including locking arrangements , fitted and fixed in position with lugs set in cement concrete including cutting necessary hives chasing etc in walls , floors etc and making good all damages .</p> <p>PWD Building Works schedule, Page -106, Item- .18</p> <p>2 x 1.00 x 2.10 = 4.20 m2 ✓</p>	4.20	3402.00 4330.00 ✓	14288-40 18186.00 ✓
15	<p>Brick work with 1st class bricks in cement mortar (1:4)</p> <p>(a) Foundation and plinth grouting floor</p> <p>PWD Building Works schedule, Page -15, Item-7.a (Rate Analysis)</p> <p>2 x 5.10 x 0.250 x 0.600 = 1.53 m3 ✓ 3 x 4.550 x 0.250 x 0.600 = 2.048 m3 ✓ 2 X 2.50 X 0.250 X 0.600 = 0.750 M3 ✓ 2 X 1.00 X 0.500 X 0.300 = 0.300 M3 ✓</p>	3.785 4.628 ✓	5613.36 5339.63 ✓	21246-57 29711.81 ✓
16	<p>Brick work with 1st class bricks in cement mortar (1:4)</p> <p>(b) superstructure grouting floor</p> <p>PWD Building Works schedule, Page -15, Item-7.b (Rate Analysis)</p> <p>2 x 5.10 x 0.250 x 3.00 = 7.65 m3 ✓ 3 x 4.55 x 0.250 x 3.00 = 10.238 m3 ✓</p>	17.89 ✓	5896.36 5562.63 ✓	104412-48 99515.45 ✓

	23.21	21.00	5qm	487.41
<p>of concrete surface before taking up Plastering</p> <p>Works schedule, P-192, It-1</p> <p>(to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface] (i) With 1:6 cement mortar (c) 15 mm thick plaster</p> <p>PWD Building Works schedule, P-189 It- No. 1 (Rate Analysis)</p> <p>2 (5.1 + 4.55) x 3.75 = 72.388 m² ✓ 72.375 m²</p> <p>2 (5.10 + 4.55) x 3.00 = 57.90 m²</p> <p>3 x 2 x 1.00 x 3.00 = 18.00 m²</p> <p>5 x 2 x 1.20 x 3.00 = 36.00 m²</p>	184.29 ✓	148.53 ✓ 133.53 ✓	5qm	27372.59 ✓ 24606.29 ✓
<p>Plaster (to wall, floor, ceiling etc.) with sand and cement mortar including rounding off or chamfering corners as directed and raking out joints including throating, nosing and drip course, scaffolding/staging where necessary (Ground floor). [Excluding cost of chipping over concrete surface] (ii) With 1:4 cement mortar (c) 10 mm thick plaster</p> <p>PWD Building Works schedule, P-189 It- No. 1 (ii)(c) (Rate Analysis)</p> <p>5.1 x 4.55 = 23.21 m² ✓</p>	23.21 ✓	130.53 ✓ 120.53 ✓	5qm	3029.60 ✓ 2797.50 ✓
<p>Neat cement punning about 1.5 mm thick in wall, dado, window sills, floors etc. Note cement 0.152 m³/100 m² PWD Building Works schedule, P-192 It- No. 15</p> <p>2 (5.10 + 4.55) x 0.75 = 14.48 m² ✓</p> <p>Supplying, fitting and fixing fibre reinforced polymer (FRP) Composite door frame as per approved section with glass fibre reinforced plastic moulded skins and a special sandwich core, so as to impart monolithic composite structure as per approved technology of Department of Science and Technology (DST) to satisfy IS: 4020 door testing performance criteria..</p> <p>(i) 66mm x 90mm</p> <p>PWD Building Works schedule, P-115, It - 3 (i)</p> <p>4 (2x2.10 + 0.75) = 19.80 M ✓</p>	14.48 ✓	34.00 ✓ 32.75 ✓	Sq.m	492.32 ✓ 479.22 ✓
<p>Supplying, fitting & fixing fibre reinforced polymer (FRP) Composite door shutters as per approved design with glass fibre reinforced plastic moulded skins and a special sandwich core, so as to impart monolithic composite structure as per approved technology of Department of Science and Technology (DST) to satisfy IS:4020 door testing performance criteria. In ground floor.</p> <p>ii) 25 mm thick P-125, It- 14(ii)</p> <p>4 x 2.10 x 0.75 = 6.30 m² ✓</p>	19.80 ✓	497.00 ✓	Mtr	9840.60 ✓
<p>Supplying, fitting & fixing fibre reinforced polymer (FRP) Composite door shutters as per approved design with glass fibre reinforced plastic moulded skins and a special sandwich core, so as to impart monolithic composite structure as per approved technology of Department of Science and Technology (DST) to satisfy IS:4020 door testing performance criteria. In ground floor.</p> <p>ii) 25 mm thick P-125, It- 14(ii)</p> <p>4 x 2.10 x 0.75 = 6.30 m² ✓</p>	6.30 ✓	2581.00 ✓	Sqm	16260.30 ✓
<p>Anodised aluminium barrel / tower / socket bolt (full covered) of approved manufactured from extruded section conforming to I.S. 204/74 fitted and fixed with cadmium plated screws . (vii) 225mm long x 10mm dia. bolt.</p> <p>PWD Building Works schedule, P-144, It No. 26 (vii)</p>	5.00 ✓	84.00 ✓	Each	420.00 ✓
<p>Iron butt hinges of approved quality fitted and fixed with steel screws, with ISI mark. (viii) 100mm X 75mm X 3.50mm.</p> <p>PWD Building Works schedule, P-140, It No. -5 (viii)</p>	15.00 ✓	66.00 ✓	Each	990.00 ✓
<p>Anodised aluminium decorative handle (hexagonal / fluted) of approved quality fitted and fixed complete.</p> <p>(i) 150mm plate x 10mm dia rod x 12mm hexagonal/fluted.</p> <p>PWD Building Works schedule, Page -146 . Item no-31,(i)</p>	10.00 ✓	87.00 ✓	Each	870.00 ✓
<p>Iron hasp bolt of approved quality fitted and fixed complete (oxidised) with 16mm dia rod with concrete bolt and round fitting.</p> <p>b)250mm long.</p> <p>PWD Building Works schedule, Page -141 . Item no-10 b)</p>	5.00 ✓	159.00 ✓	Each	795.00 ✓

	<p>Best quality synthetic enamel paint of approved brand including smoothing surface by sand papering etc. including of approved putty etc. on the surface, if necessary : 100 . Item no- 1 (b) on timber or plastered surface : with super gloss (hi-gloss) - (iv) Two coats (with any shade except white) PWD Building Works schedule, Page -200 . Item no- 2(A)(a)(iv)</p>	6.35 ✓	81.00 ✓	Sq.m	514.35 ✓
35	<p>(a) M.S. or W.I. Ornamental grill of approved design joints continuously welded with M.S. W.I. Flats and bars of windows, railing etc. fitted and fixed with necessary screws and lugs in ground floor. (i) Grill weighing above 10 Kg./sq.mtr and up to 16 Kg./sq. mtr. PWD Building Works schedule, P-104 Item-13 A (i) (3rd Corrigendum Page No 91) $2 \times 2.00 \times 0.750 = 3.00 \text{ m}^2$ ✓ $6 \times 0.600 \times 0.600 = 2.16 \text{ m}^2$ ✓ $= 5.16 \text{ m}^2 \times 10.00 \text{ kg} = 51.60 \text{ kg} = 0.516 \text{ qtl}$ ✓</p>	0.516 ✓	9888.00 ✓	Qntl	5102.21 ✓
36	<p>a) Priming one coat on steel or other metal surface with synthetic oil bound primer of approved quality including smoothing surfaces by sand papering etc. PWD Building Works schedule, P/200 Item-1(a)</p>	5.16 ✓	29.00 ✓	Sq.m	149.64 ✓
37	<p>(A) Painting with best quality synthetic enamel paint of approved make and brand including smoothing surface by sand papering etc. including using of approved putty etc. on the surface, if necessary : (b) On steel or other metal surface : (iv) Two coats (with any shade except white) PWD Building Works schedule, P-200 Item-2(b)(iv)</p>	5.16 ✓	79.00 ✓	Sq.m	407.64 ✓
38	<p>Supplying and laying true to line and level vitrified tiles of approved brand (size not less than 600 mm X 600 mm X 10 mm thick) in floor, skirting etc. set in 20 mm sand cement mortar (1:4) and 2 mm thick cement slurry back side of tiles using cement @ 2.91Kg./sqm or using polymerised adhesive (6 mm thick layer applied directly over finished artificial stone floor/Mosaic etc without any backing course) laid after application slurry using 1.75 Kg of cement per sqm below mortar only, joints grouted with admixture of white cement and colouring. Pigment to match with colour of tiles / epoxy grout materials of approved make as directed and removal of wax coating of top surface of tiles with warm water and polishing the tiles using soft and dry cloth upto mirror finish complete including the cost of materials, labour and all other incidental charges complete true to the manufacturer's specification and direction of Engineer-in-Charge. (White cement, synthetic adhesive and grout material to be supplied by the contractor) (i) With application slurry @ 1.75 kg/ Sq.m, 20 mm sand cement mortar (1:4) & 2 mm thick cement slurry at back side of tiles, 0.2 kg/ Sq.m white cement for joint filling with pigment. (A) Deep Colour & White PWD Building Works schedule, Page-66 Item-36 (A) (3rd Floor $5.10 \times 4.55 = 23.21 \text{ m}^2$ ✓</p>	23.21 ✓	1704.00 1684.00 ✓	Sq.m	39549.84 39085.64 ✓

86304-21	1047.00	82.43		86304-21
85067.716	1032.00		<p>ing & fixing 1st quality Ceramic tiles in walls and floors with the existing work & 4 nos. of key stones (10mm) fixed at the back of each tile & finishing the joints with white mastic mixed with colouring oxide if required to match the colour of cement mixed with colouring oxide if required to match the colour of synthetic adhesive & grout materials etc.</p> <p>B) Wall</p> <p>Area of each tile above 0.09 Sq.m</p> <p>ii) Other than Coloured decorative including white</p> <p>PWD Building Works schedule, page-64, Item:35.(B.).(b).(ii) (3rd Corrigendum, Page 36)</p> <p>2(7.375 + 3.250) x 2.10 = 44.63 m²</p> <p>3x2 x 1.00 x 2.10 = 12.60 m²</p> <p>5 x 2 x 1.20 x 2.10 = 25.20 m²</p>	
1537.20	183.00	8.40	<p>Supplying profiles of required section made of Aluminium Alloy Extrusions conforming to IS: 732-1983 and IS: 1285- 1975; Anodized (with required film thickness and specified colour / natural) matt finished conforming to IS: 1868-1983 for fabrication of composit door, sliding & casement windows, partitions, formed of basic sections of any ISI embossed / certified make and brand as per direction of Engineer - In-Charge. (Payment will be made on finished length of the work).</p> <p>(A) In 10-12 Micron thickness Anodizing film</p> <p>l) Natural white h) Louvered window. i) Top, bottom and side member.</p> <p>PWD Building Works schedule, PWD, P-233, I- 1(h) i</p>	M
4737.60	658.00	7.20	ii) Louvered Section.	M
1704.24	263.00	6.48	iii) Cleat angle (Non-anodized).	M
631.80	585.00	1.08	Supplying bubble free float glass of approved make and brand conforming to IS: 2835-1987.	Sq.M.
5400.00	12.00	450.00	iv) 5mm thick coloured / tinted / smoke glass. PWD Building Works schedule, P-243, I- 9	Each
1620.00	162.00	10.00	Painting block letters or digits in Black Japan or any approved paint as per direction.	Each
561.00	187.00	3.00	e) Size above 7.5 cm. and upto 10 cm.	Each
381.00	127.00	3.00	PWD Building Works schedule, P-268, It-17(e)	Each
			Supplying and planting of different plants / trees (supplying well grown plants bushy and healthy, minimum height as specified i.e. exposed height including all leads and lifts, carriage, handling, manuring applying pesticide and fertilizer etc.	
			i) Furcaria Variegated 10 to 12 leaves in height 20-30 cm in earthen pot of size 25 cm	
			x) Ficus blakii (F. Vivicon) well branched (Bushy) of height 120cm - 135 cm in earthen pot of size 30cm.	
			PWD Building Works schedule, Page -261, It- 9 (x)	
			xxvi) Areca Palm 4 - 5 suckers of height 90 cm to 105 cm in earthen pots of size 25 cm.	
			PWD Building Works schedule, Page -261, It- 9 (xxvi)	
			SANITARY AND PLUMBING WORKS	
12416.00	3104.00	4.00	Supplying, fitting and fixing Anglo-Indian W.C. in white glazed vitreous china ware of approved make complete in position with necessary bolts, nuts etc.	Each
1520.00	380.00	4.00	a) With 'p' trap (with vent)	Each
1940.00	485.00		PWD S&P Schedule, page-79, item no -3 (a)	
			Supplying, fitting and fixing Closet seat of approved make with lid and C.P. hinges, rubber buffer and brass screws complete .(b) Anglo Indian (i) Plastic (hallow type) White	
			PWD S&P Schedule, page-81, item no 10.b.i	

51	Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks complete (i) 450 mm x 350 mm	3.00	945.00	Each	2835.00
	and fixing Flat back urinal (half stall urinal) in white vitreous china best quality approved make in position with brass screws on approved make in position with brass screws on 470 mm X 280 mm X 340 mm wooden blocks complete PWD S&P Schedule, page.80,item no-6/(ii)				
	Supplying fitting and fixing squatting plate with integrated flushing in white vitreous set in cement concrete (6:3:1) with jhama chips complete. (Payment of concrete will be paid seperately) (I) 450 mm x 350 mm	2.00	881.00	each	1762.00
52	Supplying, fitting and fixing 10 litre P.V.C. low-down cistern conforming to I.S. specification with P.V.C. fittings complete,C.I. brackets including two coats of painting to bracket etc. PWD S&P Schedule, Page No.-36 Item No.-2,	4.00	1015.00	Nos	4060.00
53	Supplying,fitting and fixing 32 mm dia. Flush Pipe of approved make with necessary fixing materials and clamps complete. i) Polythene Flush Pipe PWD S&P Schedule, Page no 81. Item no. 11(i)	4.00	155.00	Each	620.00
54	Supplying, fitting and fixing urinal flush pipe fittings of approved brand. (a) C.P. urinal flush pipe fittings range of one PWD S&P Schedule, S.P.81,item-12/a	2.00	414.00	Each	828.00
55	Supplying, fitting and fixing white vitreous china best quality approved make wash basin with C.I. brackets on 75 mm X 75 mm wooden blocks, C.P. waste fittings of 32 mm dia., mending good all damages and painting the brackets with two coats of approved paint. (ii) 550 mm X 400 mm size PWD S&P Schedule, P-41, It 2 (ii)	2.00	2208.00	Each	4416.00
56	Supplying fitting and fixing pedestal of approved make for wash basin (White) PWD S&P Schedule, P-41, It 3	2.00	1497.00	Each	2994.00
57	Supplying,fitting and fixing approved brand P.V.C. CONNECTOR white flexible, with both ends coupling with heavy brass C.P. nut, 15 mm dia., (iii) 600 mm long PWD S&P Schedule, Page No.-43 Item No.-9-iii	5.00	107.00	Each	535.00
58	Supplying,fitting and fixing approved brand 32 mm dia.P.V.C. waste pipe, with PVC coupling at one end fitted with necessary clamps. (iv) 1050 mm long each PWD S&P Schedule, Page No.-43 Item No. 10-iv	2.00	91.00	Each	182.00
59	(f) Hand Shower(Health Faucet) with 1mtr Flexible Tube with Wall Hook(Equivalent to Code No.573 & Model -ALLIED of Jaquar or similar). PWD S&P Schedule, Page No.-3 Item No.- 3 f,	5.00	1251.00	Each	6255.00
60	(a) (i) Chromium plated Bib Cock short body (Equivalent to Code No. 511 & Model - Tropical / Sumthing Special of ESSCO or similar brand). PWD S&P Schedule, Page No.-6 Item No.-7-a-i	7.00	539.00	Each	3773.00
61	(b) (i) Chromium plated Stop Cock (Equivalent to Code No. 513(A) & 513(B) & Model - Tropical / Sumthing Special of ESSCO or similar PWD S&P Schedule, Page No.-6 Item No.-7-b-i	5.00	493.00	Each	2465.00
62	Chromium plated angular Stop Cock with wall flange (Equivalent to Code No. 5053 & Model - Florentine of Jaquar or similar brand). PWD S&P Schedule, Page No.-6 Item No.-7-d-i,	5.00	815.00	Each	4075.00

64	<p>Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrew, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made seperately)</p> <p>(a) For Exposed Work PVC Pipes, 25 mm</p> <p>Page No.-12 Item No.-19-(a), PWD,VOL-II, 2017-18</p>	2.00	555.00	Each	1110.00
	<p>Supplying, fitting and fixing PVC pipes of approved make of Schedule 80 (medium duty) conforming to ASTM D - 1785 and threaded to match with GI Pipes as per IS : 1239 (Part - I). with all necessary accessories, specials viz. socket, bend, tee, union, cross, elbo, nipple, longscrew, reducing socket, reducing tee, short piece etc. fitted with holder bats clamps, including cutting pipes, making threads, fitting, fixing etc. complete in all respect including cost of all necessary fittings as required, jointing materials and two coats of painting with approved paint in any position above ground. (Payment will be made on the centre line measurements of total pipe line including all specials. No separate payment will be made for accessories, specials. Payment for painting will be made seperately)</p> <p>(a) For Exposed Work PVC Pipes, 25 mm</p> <p>Page No.-12 Item No.-19-(a), PWD,VOL-II, 2017-18</p>	25.00	177.00	Mtr	4425.00
65	<p>(a) For Exposed Work PVC Pipes, 15 mm</p> <p>Page No.-12 Item No.-19-(a), PWD,VOL-II, 2017-18</p>	10.00	101.00	Mtr	1010.00
66	<p>(b) For Concealed Work PVC Pipes, 15 mm</p> <p>Page No.-12 Item No.-19-(b), PWD,VOL-II, 2017-18</p>	10.00	137.00	Mtr	1370.00
67	<p>Supplying and fitting fixing of gunmetal wheel valve of approved brand and make tested to 21 Kg per sq. cm. 25 mm dia(E5)</p> <p>PWD S&P Schedule, P-5, It-5, viii</p>	2.00	778.00	Each	1556.00
68	<p>Supplying P.V.C. water storage tank of approved quality with closed top with lid (Black) - Multilayer</p> <p>(b) 1000 litre capacity</p> <p>PWD S&P Schedule, page.37,item no-6 (b)</p>	2.00	5128.00	Each	10256.00
69	<p>Labour for hoisting plastic water storage tank.</p> <p>(i) Upto 1500 litre capacity.</p> <p>(a) Upto 1st story from G.L.</p> <p>PWD S&P Schedule, page.37,item no-10 (i)(a)</p>	2.00	96.00	Each	192.00
70	<p>Labour for punching hole in plastic water storage tank upto 50 mm dia.</p> <p>PWD S&P Schedule, (P. No. - 38, Item. No. - 13</p>	4.00	19.00	Each	76.00
71	<p>Supply of UPVC pipes (B Type) & fittings conforming to IS-13592-1992:(A) (i) Single Socketed 3 Meter Length, (b) 110 mm</p> <p>PWD S&P Schedule, Page No.-68 Item No. 23,(A)(i)(b)</p>	30.00	292.00	Mtr	8760.00
72	(B) Fittings	8.00	85.00	Each	680.00
73	(i) Coupler, (b) 110 mm	12.00	85.00	Each	1020.00
74	(ii) Plain Tee, (b) 110 mm	10.00	195.00	Each	1950.00
75	(iii) Door Tee, (b) 110 mm	10.00	89.00	Each	890.00
76	ix) Bend 45°, (b) 110 mm	7.00	147.00	Each	1029.00
77	xi) Door Bend (T.S.), (b) 110 mm	30.00	21.00	Each	630.00
78	xvi) Pipe Clip, (b) 110 mm	4.00	142.00	Each	568.00
79	xvii) W.C. Connector (150 mm long) 125 X 110(W/WC Ring) 75 mm	7.00	144.00	Each	1008.00
80	xxxxi) Plain Floor Trap with Top tile & Strainer 75 mm	15.00	17.00	Each	255.00
81	L) Rubber Ring, (b) 110 mm	1.00	187.00	500 ML	187.00
82	C) Rubber Lubricant 500 ML	1.00	103.00	250 ML	103.00
	D) Solvent Cement 250 ML				

	1.00	16621.00	Each	16621.00
90	2.00	430.00	Each	860.00
91	2.00	484.00	Each	968.00
92	4.00	58.00	Each	232.00
93	2.00	341.00	Each	682.00
				742740.59
				66846.65
				66846.65
				876433.89
				8764.34
				885198.23
				26555.95
				911754.18
				911754.00

RUPEES NINE LAKH ELEVEN THOUSAND SEVEN HUNDRED FIFTY FOUR ONLY

four sixty only.

Somen Das,
Sub-Assistant Engineer
MIDNAPORE MUNICIPALITY

Chairman
Midnapore Municipality

VETTED

Somnath
31.07.25

MAY BE VETTED
Somy 4/8/25

J. King
11/8/25

Junior Engineer
West Midnapore Division
M.E. Directorate
Govt. of West Bengal

Assistant Engineer
West Midnapore Division
M.E. Directorate
Govt. of West Bengal

Executive Engineer,
West Midnapore Division
M.E. Directorate
Govt. of West Bengal

7,72,715.06
66,844.35
66,844.35
8,76,403.76
8,764.34
8,85,167.80
26,292.12
9,11,460.00