

TO WHOM MAY IT CONCERN

Subject: 'No-Objection' for setting up Toilet Complex under Mission Nirmal Bangla scheme.

This is to certify that there is 'No Objection' from (Ursh Ground, Ward No-18) if toilet complex is being set up under Mission Nirmal Bangla scheme as per inspected space for the benefit of the society.

Thanking You,



Chairman

Halisahar Municipality

Chairman
Halisahar Municipality
North 24 Parganas



भारतीय गैर न्यायिक



INDIA NON JUDICIAL

पश्चिम बंगाल पश्चिम बंगाल WEST BENGAL

97AB 926718

TO WHOM MAY IT CONCERN

Subject: 'No-Objection' for setting up Toilet Complex under Mission Nirmal Bangla scheme.

This is to certify that there is 'No Objection from (Ursh Ground, Ward No-18) if toilet complex is being set up under Mission Nirmal Bangla scheme as per inspected space for the benefit of the society.

Thanking You,

Chairman

Halisahar Municipality

Chairman
Halisahar Municipality
North 24 Parganas



Annexure-III

Site Inspection Report for construction of CT/PT

Date : 11.09.2024

ULB Name	HALISAHAR MUNICIPALITY	
Ward No	18	
Name of the proposed site	URSH GROUND	
Address	HALISAHAR WARD NO:-18	
Category CT/PT	INSTITUTE (PT)	
Necessary Land Details	Wheater the Land is belongs to the ULB/Other (If Other please specify)	ULB LAND
	Dag No., Khatian No., J.L. No. & other plot information.	MOUZA:- PRASAD NAGAR; DAG NO:-431; JL NO:-01
	No objection Certificate received from the concerned authority	YES
Nearest location of CT/PT (approx distance in meter)	NA	
Proposed no of Toilet seats	Male	4.0
	Female	3.0
Proposed no of Urinal seats	Male	5.0
	Female	5.0
To be constructed as Aspirational Toilet or Normal Toilet (only)	Aspirational/Normal	Normal
Area rquired for Public Toilets	4 to 5 sq. meters per 10 toilet seats: Min. 1.5 m x 1.2 m	MODEL-E
Area requirement details in sq mm for Community Toilets	Toilet Cubical (Optimum=900x1200, Minimum=750x900)	1750 X 1200
	Urinal (Minimum=500x600)	750 X 600
Space identified for installation of Soakpit and Soak Well	YES	
Availability of surface water/piped water supply (in details)	AVAILABLE	
Operation and Maintenance plan in detail	OWN	
Remarks if any:		
Representative assigned from Hijli Inspiration for the site inspection	Name & Designation	PROBIR MUKHOPADHYAY (Civil Engineer)
	Contact No	9339875575
	Signature with Seal	
Representative assigned from the ULB for the site inspection	Name & Designation	SAIKAT BISWAS (S.A.E)
	Contact No	7980865833
	Signature with Seal	

Checked & Verified



Engineer (City)
Hijli INSPIRATION

Sub Assistant Engineer
Sub-Assistant Engineer
Halisahar Municipality

Chairman


Halisahar Municipality
North 24 Parganas




Hijli INSPIRATION
New Toilet
11.09.2024 12:47
22.91835, 88.41121
WC96+C9F, BBT Rd, Hazinagar, Bischpur, Naihati, Kolkata
743135

Urush Utsab Ground



MODEL DRAWING FOR CONSTRUCTION OF C. T./P
TOILET SEAT 7 NOS, URINAL 10 NOS
MODEL NO.- E





FRONT ELEVATION



SECTION - 'B - B'



Details Of R.C.C Roof Slab & Beam
(SCALE - 1 : 25)



DETAILS OF R. C. C COLUMN
(SCALE - 1 : 25)